POPULATION ESTIMATES		LONG-TERM CARE			LOCAL HEALTH DEPARTMENTS			
Total 2003 Population	Community Options and MA Waiver			Per 10,000				
	as HSRS reports costs for services			Staffing - FTE Total staff Administrative	Number	Popul ati on		
Population per square mile				Total staff	4. 7	2.0		
County ranking in state (1-72) 51	Clic COP MA Waiver *	ents	Costs	Admi ni strati ve	1. 0	0. 4	
	-	COP	8	\$97, 818	Public health nurs Other prof. staff Technical/Paraprof Support staff	ses 2.3	1. 0	
Age Female Male	Total	MA Waiver *	^	¢101 000	Other prof. staff	0.4	0. 2	
0-14 2, 370 2, 480 15-19 830 870	4, 860 1, 700	CIPIA	/2 //2	\$121,U22 ¢752 072	Support staff		0.4	
20-24 620 650	1, 760	CIPID CIPID	42 0	\$732, 673 \$02, 018	Support Starr	1. 0	0. 4	
25-29 580 590	1, 170	COP-W	32	\$271, 386	Fundi na		Per capi ta	
30-34 770 730	1, 500	CSLA	0	\$0	Fundi ng Total Local Taxes	\$353, 682	\$15. 16	
30-34 770 730 35-39 930 940	1, 870	Brain Injury	1	\$20, 128	Local Taxes	\$121, 997	\$5. 23	
40-44 1, 040 1, 080	2, 120	MA Waiver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wvrs	93	\$1, 258, 328				
45-54 1, 760 1, 890	3, 650				LI CENSED E	STABLI SHME	:NTS	
55-64 1, 120 1, 140	2, 260	\$133,953 of the	above v	wai ver costs	T	0	E	
65-74 790 720 75-84 640 460	1, 520	were paid as local	I match	overmatch	Type	Capaci ty	Facilities	
75-84	1, 100 410	using COP funds. not included in al	mis ai	nount is	Camps	35 022	12 12	
Total 11, 750 11, 670	23, 420	Tiot Trictiqued Tit at	DOVE COI	r costs.	Hotels Motels	570	15	
11,750 11,070	20, 420	* Wai ver costs re	ported H	here	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools	41	22	
Age Female Male	Total	include federal	fundi na.		Pools	• •	11	
0-17 2, 870 3, 010	5, 890	İ	Ü		Restaurants		144	
18-44 4, 270 4, 330	8, 590	Clie	ents	Costs	Vendi ng		1	
45-64 2, 880 3, 030 65+ 1, 710 1, 320	5, 910	Eligible and Waiting		,				
45-64 2, 880 3, 030 65+ 1, 710 1, 320	3, 030	Waiting	19	n/a				
Total 11, 750 11, 670	23, 420	(Family Care not n	rovi dod	in country)	WIC PAR	TI CI DANTO		
Poverty Estimates for 2000		(Family Care not p	i ovi ded	in county)	WIC PAR	TI CI PANTS		
Fetimato ((C. I. +/-)						Number	
ALL ages 1,658	117	Note: Eligible and	waitin	a clients	Pregnant/Postpartu	ım	154	
7.3%	(7%)	will be phased in	nto the	COP and MA	Infants		179	
Ages 0-17 498	57	Waivers as availa	abl e.		Children, age 1-4		214	
All ages 1, 658 7. 3% Ages 0-17 498 8. 1%	(11%)				Total		547	
					CANCED INC	U DENOE (00	200)	
EMPLOYMENT		Home Heal th Agenci	00	1	CANCER INC	I DENCE (20	102)	
Average wage for jobs covered by unemployment compensation	ነ _ ¢ን፬ <u>6</u> ፬ን	Home Health Agenci		.).).)	Primary Site Breast		18	
(place of work)	\$20,003	Patients per 10,00	00 non	95	Cervi cal		10	
"	Annual	l'attents per 10,00	оо рор.		Colorectal		10	
Labor Force Estimates	Average	Nursing Homes		3	Lung and Bronchus		15	
		Li censed beds Occupancy rate Residents on Dec.		188	Prostate		13	
Civilian Labor Force	14, 145	Occupancy rate		82. 8%	Other sites		43	
Number employed	13, 532	Residents on Dec.	31	161	Total		100	
Civilian Labor Force Number employed Number unemployed Unemployment rate	613	Residents age 65 (or oldei	r [Note: Total a abarre	oro for		
unemproyment rate	4. 3%	per 1,000 popula	LI ON	50	Note: Totals shown invasive canc			
		I 		ا 		y.		

			NATA	JITY					
TOTAL LIVE BIRTHS		308	Birth Order	Births	Percent	Marital St	atus		
			First	115	37	of Mother	a. 	Bi rths	Percent
Crude Live Birth Rate	!	13. 2	Second			Marri ed		244	79
General Fertility Rat		64. 4	Third Fourth or higher Unknown	45	36 15 12 0	Not marri	ed	64	21
constant of the sign and			Fourth or higher	37	12	Unknown		0	0
Live births with repo	rted		Unknown	0	0				
Live births with repo congenital anomalies		2 0.6%				Educati on			
congenius and annument of						of Mother		Bi rths	Percent
Delivery Type	Bi rths	Percent	1st Prenatal Visit	Bi rths	Percent	El ementar	v or les	s 2	1
Vaginal after			1st trimester	271	88	Some high	school	20	6
převi ous cesarean	2	1	2nd trimester	29	9				29
Forceps	8	3	3rd trimester	7	2	Some coll	ege	91	30
previous cesarean Forceps Other vaginal Primary cesarean	226	73	1st trimester 2nd trimester 3rd trimester No visits Unknown	1	<. 5	College g	răduate	107	35
Primary česarean	47	15	Unknown	0	0	Unknown		0	0
Repeat cesarean	25	8							
			Prenatal Visits	Bi rths	Percent	Smoking St	atus		
Bi rthwei ght	Bi rths	Percent	No visits	1	<. 5	of Mother		Bi rths	Percent
<1,500 gm	4	1. 3	1-4	6	2	Smoker		42	14
1,500-2,499 gm	19	6. 2	5-9	72	23	Nonsmoker		265	
2,500+ gm	285	92. 5	10-12	157	51	Unknown		1	<. 5
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0	13+	71	23				
			Unknown	1	<. 5				
1									
			Law Disablemai alek		T!	E F!+	D	\/: -: +	
			Low Birthweight	10+ Tm	Trimest	er of First	Prenatal	Visit	Unicacum
Doog /Fthmi oi tu	Di setha D)oroont	Low Birthweight (under 2,500 gm)	1st Tr	Trimest imester	er of First 2nd Trime	Prenatal ster	Visit Other/	Unknown
Race/Ethni ci ty	Births P	Percent	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births	Trimest imester Percent	er of First 2nd Trime Births Pe	Prenatal ster rcent	Vi si t Other/ Bi rths	Unknown Percent
Race/Ethnicity White	Births F	Percent 97	Low Birthweight (under 2,500 gm) Births Percent 23 7.7	1st Tr Births 265	Trimest imester Percent 88	er of First 2nd Trime Births Pe 27	Prenatal ster rcent 9	Vi si t Other/ Bi rths 8	Unknown Percent 3
Race/Ethnicity White Black/Afr. American	Births F 300 1	Percent 97 <. 5	Low Birthweight (under 2,500 gm) Births Percent 23 7.7	1st Tr Births 265 *	Trimest imester Percent 88	er of First 2nd Trime Births Pe 27 *	Prenatal ster rcent 9	Vi si t Other/ Bi rths 8	Unknown Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can I ndi an	Births F 300 1 0	Percent 97 <.5 0	Low Birthweight (under 2,500 gm) Births Percent 23 7.7 * .		•			Vi si t Other/ Bi rths 8 *	Unknown Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no	Births F 300 1 0 5	Percent 97 <.5 0 2	Low Birthweight (under 2,500 gm) Births Percent 23 7.7 * .	1st Tr Bi rths 265 *	Tri mest i mester Percent 88 80	er of First 2nd Trime Births Pe 27 *	Prenatal ster rcent 9 20	Vi si t Other/ Bi rths 8 *	Unknown Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong	Births F 300 1 0 5 0	Percent 97 <.5 0 2 0	Low Birthweight (under 2,500 gm) Births Percent 23 7.7 *		•			Vi si t Other/ Bi rths 8 *	Unknown Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Births F 300 1 0 5 0 2	Percent 97 <. 5 0 2 0	Low Birthweight (under 2,500 gm) Births Percent 23 7.7 *	4	•			Vi si t Other/ Bi rths 8 *	Unknown Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Births F 300 1 0 5 0 2	Percent 97 <. 5 0 2 0 1		4 *	80	1 * er of First	20	*	Unknown Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	300 1 0 5 0 2	97 <. 5 0 2 0 1		4 *	80	1 * er of First	20 Prenatal	* Vi si t	: : : :
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	300 1 0 5 0 2 Fe	97 <.5 0 2 0 1 		4 * 1 1st Tr	: 80 Tri mest i mester	1 * er of First 2nd Trime	20 Prenatal ster	Vi si t	 Unknown
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	300 1 0 5 0 2	97 <. 5 0 2 0 1		4 * 1 1st Tr	80	1 * er of First 2nd Trime	20 Prenatal ster	Vi si t	: : : :
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	300 1 0 5 0 2 Fe Bi rths	97 <.5 0 2 0 1 		4 * 1 1st Tr	: 80 Tri mest i mester	1 * er of First 2nd Trime	20 Prenatal ster	Vi si t	 Unknown
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	300 1 0 5 0 2 Fe Bi rths	97 <.5 0 2 0 1 	Low Birthweight (under 2,500 gm) Births Percent *	4 * 1st Tr Bi rths	: 80 Tri mest i mester	1 * er of First 2nd Trime Births Pe	20 Prenatal ster	Vi si t Other/ Bi rths	: : : Unknown Percent : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	300 1 0 5 0 2 Fe Bi rths 0 2 11 73	97 <.5 0 2 0 1 	Low Birthweight (under 2,500 gm) Births Percent	. 4 . * 1st Tr Bi rths . * 10 57	80 Tri mest i mester Percent 91 78	1 er of First 2nd Trime Births Pe	20 20 Prenatal ster rcent	Vi si t Other/ Bi rths	: : : Unknown Percent : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	300 1 0 5 0 2 Fe Bi rths 0 2 11 73 89	97 <.5 0 2 0 1 	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Bi rths * 10 57 80	80 Tri mest i mester Percent 91 78 90	1 * er of First 2nd Trime Births Pe *	20 Prenatal ster rcent 9 16 7	Vi si t Other/ Bi rths	 Unknown
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	300 1 0 5 0 2 Fe Bi rths 0 2 11 73 89 83	97 <.5 0 2 0 1 	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Bi rths * 10 57 80 77	B0 Finest Tri mest i mester Percent Finest 91 78 90 93	1 er of First 2nd Trime Births Pe * 1 12 6 6	20 Prenatal ster rcent 9 16 7	Vi si t Other/ Bi rths 4	: Unknown Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	300 1 0 5 0 2 Fe Bi rths 0 2 11 73 89 83 45	97 <.5 0 2 0 1 ertility Rate 4 33 119 153 108 48	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Bi rths * 10 57 80 77 40	80 Tri mest i mester Percent 91 78 90 93 89	1 * er of First 2nd Trime Births Pe * 1 12 6	20 Prenatal ster rcent 9 16 7	Vi si t Other/ Bi rths 4	: : : Unknown Percent : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	300 1 0 5 0 2 Fe Bi rths 0 2 11 73 89 83 45 5	97 <.5 0 2 0 1 	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Bi rths * 10 57 80 77	B0 Finest Tri mest i mester Percent Finest 91 78 90 93	1 er of First 2nd Trime Births Pe * 1 12 6 6	20 Prenatal ster rcent 9 16 7	Vi si t Other/ Bi rths . 4	: Unknown Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	300 1 0 5 0 2 Fe Bi rths 0 2 11 73 89 83 45	97 <.5 0 2 0 1 ertility Rate 4 33 119 153 108 48	Low Birthweight (under 2,500 gm) Births Percent 7 9.6 3 3.4 8 9.6 5 11.1	1st Tr Bi rths * 10 57 80 77 40	80 Tri mest i mester Percent	1 er of First 2nd Trime Births Pe * 1 12 6 6	20 Prenatal ster rcent 9 16 7	Vi si t Other/ Bi rths . 4	: Unknown Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	300 1 0 5 0 2 Fe Bi rths 0 2 11 73 89 83 45 5	97 <.5 0 2 0 1 ertility Rate 4 33 119 153 108 48 5	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Bi rths * 10 57 80 77 40 5	80 	1 er of First 2nd Trime Births Pe * 1 12 6 6	20 Prenatal ster rcent 9 16	Vi si t Other/ Bi rths 4 3 . 1	Unknown Percent

MORBI DI TY			MOF	RTALLTY	
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (ex neonatal, and p Perinatal and f	kcept inf postneona fetal dea	ant) are p tal death th rates a	oer 100,000 population. rates are per 1,000 live are per 1,000 live births culated for fewer than 20	Infant, e births. s plus
Di sease Number Campyl obacter Enteritis 12 Gi ardi asis 8 Hepatitis Type A <5 Hepatitis Type B** <5 Hepatitis NANB/C 8 Legi onnai re's 0 Lyme 5 Measl es 17 Meni ngi tis, Aseptic 0 Meni ngi tis, Bacterial <5 Mumps 0 Pertussis 0	TOTAL DEATHS	Deaths 1 3 6 19 18 27	Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents	63 269 55 235 38 162 11 . 2 . 4 .* 2 . 4 .* 2 . 4 5 .
Sal monel Losi s <5 Shi gel Losi s 0 Tubercul osi s 0	75-84 85+ Infant	58 57	5, 275 13, 740	Motor vehicle Diabetes Infect./Parasitic Dis. Suicide	7 . 5 . 4 .
 * 2003 provisional data. ** Includes all positive HBsAg test results. 	Mortality D	Deaths	_	* Based on female popul ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS	AS UNDERLYING SE OF DEATH
Sexually Transmitted Disease Chlamydia Trachomatis 36 Genital Herpes <5 Gonorrhea <5 Syphilis <5	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown			Al cohol Other Drugs Both Mentioned * Includes tobacco use MOTOR VEHICLE	(see page 7). E CRASHES
Children in Grades K-12 by Compliance Level Compliant 3,500 Non-compliant 7 Percent Compliant 99.8	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal	Deaths 2	Rate	Note: These data are ba of crash, not or Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	Persons Persons Injured Killed 212 6 45 3

AGE GROUP	Number	1, 000 Pop	Average Stay (Days)	Average	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta
Injury-Related:						Al cohol -Rel ated					
Total	225	9. 6	5. 0	\$20, 371	\$196	Total	42	1.8	4. 8	\$6, 789	\$12
<18 18-44	24 69	4. 1 8. 0	3. 8 3. 9	\$17, 879 \$17, 665	\$73 \$142	18-44 45-64	14 23	3. 9	5. 9	\$9, 177	\$36
45-64	39	6. 6	3. 9 6. 2	\$17, 005 \$25, 095	\$142 \$166	Pneumonia and Ir		3. 9	5. 9	Φ9, 177	\$30
65+	93	30. 7	5. 5	\$21, 042	\$645	Total	86	3. 7	4. 2	\$11, 043	\$41
Injury: Hip F	racture	00. 7	0.0	Ψ21, 012	ΨΟΤΟ	<18	8				Ψ11
Total	31	1. 3	4. 5	\$16, 084	\$21	45-64	8				
65+	29	9. 6	4. 3	\$15, 299	\$146	65+	62	20. 4	4. 5	\$11, 572	\$237
Injury: Poi so	ni ngs					Cerebrovascul ar				_	
Total	9					Total	79	3. 4	3. 3	\$10, 610	\$36
18-44	4			•		45-64	12	04.4		φο FF.7	
December a trade						65+	64	21. 1	3. 4	\$9, 557	\$202
Psychi atri c	122		7 4	φ 7 /Γ1	#40	Chronic Obstruct				¢Ω 222	#14
Total <18	133 37	5. 7 6. 3	7. 4 7. 8	\$7, 651	\$43 \$48	Total <18	35	1. 5	3. 6	\$9, 323	\$14
18-44	57 59	6. 9	7. 8 7. 1	\$7, 655 \$6, 684	\$46 \$46	18-44	1 3	•	•	•	•
45-64	21	3. 6	7. 1 7. 2	\$6, 084 \$6, 708	\$46 \$24	45-64	8		٠	•	•
45-64 65+	16	3. O	7. Z		Φ 24	65+	23	7. 6	3. 7	\$9, 853	\$75
05+	10	•	•	•	•	Drug-Rel ated	23	7.0	3. 7	ψ7, 055	Ψ/3
Coronary Heart I	Di sease					Total	13				
Total	138	5. 9	4. 0	\$25, 158	\$148	18-44	5	•		•	•
45-64	38	6. 4	3. 3	\$29, 745	\$191		· ·	·	•	·	•
65+	97	32. 0		\$23, 154	\$741	Total Hospitaliz	ati ons				
					•	Total '	2, 322	99. 1	3. 8	\$11, 831	\$1, 173
Malignant Neopla	asms (Car	ncers):	Al I			<18	372	63. 2		\$6, 197	\$392
Total 18-44 45-64 65+	80	3. 4	4. 4	\$16, 559	\$57	18-44	651	75. 7	3. 3	\$10,053	\$761
18-44	10					45-64	452	76. 5	4. 1	\$14, 894	\$1, 140
45-64	31	5. 2	3. 9	\$13, 997	\$73	65+	847	279. 4	4. 3	\$14, 037	\$3, 921
		12. 9	4.9	\$17, 870	\$230					ana.	
Neoplasms: Fe	male B <u>r</u> ea			•		PRE					
Total	5		•		•	Total	260	11. 1		\$9, 556	\$106
Neoplasms: Co						<18 18-44	21	3.6	2. 1	\$7, 214	\$26
Total 65+	18 10	•	•	•	•	18-44 45-64	29 53	3. 4	3. <i>1</i> 3. 8	\$12, 232 \$10, 198	\$41 \$91
Neoplasms: Lui		•	•	•	•	45-64 65+	53 157	9. 0 51. 8	3. 8 3. 7	\$10, 198 \$9, 158	\$91 \$474
Total	ng 2					00+	15/	J1. 8	3. 1	Φ7, ΙΟ δ	\$4/4
Di abetes						* Hospitalizations	for cond	itiono	whore +	maly and	offoctiv
Total	33	1. 4	12	\$14, 215	\$20	* Hospitalizations ambulatory care car	iui cuilu reduce	itiUNS th⊝ lib	elihood	of hospi	talizatio
65+	10	1. 4	4. ∠	Ψ14, Δ10	\$2U	amouratory care car	i i educe	THE LIK	.CI I IIOOU	or nospi	tarrzati
001	10	•	•	•	•						